

BUILT-IN FRIDGES

Comparison table



	MKRF 240I ST F	MKRF 240I ST E	MKRF 320I ST F
Category / Type	Flush mount two-door refrigerator	Flush mount two-door refrigerator	Combined flush mount refrigerator
Design	-	-	-
EAN code	6954903811550	6954903811567	6954903812687

Installation			
Door fastening	Sliding door	Sliding door	Sliding door
Reversible doors	YES	YES	YES
Energy efficiency class	F	E	F
Annual energy consumption (kWh)	224	179	280.8
Total gross capacity (L)	240	240	269
Total net capacity (L)	204	204	269
Fresh food compartment actual space (L)	163	163	192
Freezer compartment actual space (L)	41	41	77
Number of freezer compartment stars	****	****	****
Cooling system	Static	Static	Static
Temperature stabilisation time (h)	8	8	11.7
Freezing capacity (Kg/24h)	2	2	3.5
Climate class	ST/N	ST/N	ST/N
Noise emission (dBA re 1 pW)	40	40	39
Control system	Mechanical	Mechanical	Mechanical
Glass shelves/drawers	4 glass shelves and 1 fruit and vegetable drawer	4 glass shelves and 1 fruit and vegetable drawer	4 glass shelves and 1 fruit and vegetable drawer
Door trays	3 door trays	3 door trays	3 door trays
Freezer drawers	1 Cell with shelf	1 Cell with shelf	2 drawers and 1 removable storage box

Main features			
Fridge ventilation	NO	NO	NO
Fridge/freezer defrost	Manual	Manual	Manual
Internal fridge light	LED	LED	LED
Electronic temperature control	NO	NO	NO
Separate fridge/freezer compartment temperature control	NO	NO	NO
Display	NO	NO	NO
Super cooling function	NO	NO	NO
Super freezing function	NO	NO	NO
Controlled moisture drawer	NO	NO	NO
0°C fresh drawer	NO	NO	NO

Technical features			
Voltage (V)	220 / 240	220 / 240	220 / 240
Frequency (Hz)	50	50	50
Certifications	CE	CE	CE
Product dimensions (LxDxH) mm	545x545x1445	545x545x1445	540x545x1770

	MKRF 320I NF F	MKRF 320I NF E
Category / Type	Combined flush mount refrigerator	Combined flush mount refrigerator
Design	-	-
EAN code	6954903812663	6954903812656

Door fastening	Sliding door	Sliding door
Reversible doors	YES	YES
Energy efficiency class	F	E
Annual energy consumption (kWh)	283.97	283.97
Total gross capacity (L)	244	244
Total net capacity (L)	241	241
Fresh food compartment actual space (L)	182	182
Freezer compartment actual space (L)	59	59
Number of freezer compartment stars	****	****
Cooling system	No Frost	No Frost
Temperature stabilisation time (h)	11.7	11.7
Freezing capacity (Kg/24h)	3.5	3.5
Climate class	T/ST/N	T/ST/N
Noise emission (dBA re 1 pW)	41	41
Control system	Soft touch	Soft touch
Glass shelves/drawers	4 glass shelves and 1 fruit and vegetable drawer	4 glass shelves and 1 fruit and vegetable drawer
Door trays	3 door trays	3 door trays
Freezer drawers	2 drawers and 1 removable storage box	2 drawers and 1 removable storage box

Fridge ventilation	YES	YES
Fridge/freezer defrost	Automatic	Automatic
Internal fridge light	LED	LED
Electronic temperature control	YES	YES
Separate fridge/freezer compartment temperature control	NO	NO
Display	NO	NO
Super cooling function	YES	YES
Super freezing function	YES	YES
Controlled moisture drawer	NO	NO
0°C fresh drawer	NO	NO

Voltage (V)	220 / 240	220 / 240
Frequency (Hz)	50	50
Certifications	CE	CE
Product dimensions (LxDxH) mm	540x545x1770	540x545x1770

FREESTANDING FRIDGES

Comparison table



MKRF 290C LF F XS

MKRF 290C LF F WH

MKRF 300/C NF E XS

MKRF 300/C NF E WH

MKRF 361C ED NF E XS

MKRF 420/C70 ED NF E XS

Category / Type	Combined freestanding fridge	Combined freestanding fridge	Combined freestanding fridge
Design	Stainless steel	White	Stainless steel
EAN code	6954903812977	6954903812984	6954903807058

Category / Type	Combined freestanding fridge	Combined freestanding fridge	Combined freestanding fridge
Design	White	Steel	Stainless steel
EAN code	6954903807041	6954903808239	6954903812786

Installation			
Door fastening	-	-	-
Reversible doors	YES	YES	YES
Energy efficiency class	F	F	E
Annual energy consumption (kWh)	286	286	224
Total gross capacity (L)	-	-	308
Total net capacity (L)	295	295	295
Fresh food compartment actual space (L)	204	204	219
Freezer compartment actual space (L)	91	91	76
Number of freezer compartment stars	****	****	****
Cooling system	Low frost	Low frost	Total No Frost
Temperature stabilisation time (h)	10	10	15
Freezing capacity (Kg/24h)	-	-	4
Climate class	ST/N	ST/N	N-T
Noise emission (dBA re 1 pW)	39	39	40
Control system	Mechanical	Mechanical	Digital display
Glass shelves/drawers	4 glass shelves and 1 fruit and vegetable drawer	4 glass shelves and 1 fruit and vegetable drawer	3 glass shelves and 2 fruit and vegetable drawers
Door trays	4 door trays	4 door trays	5 door trays
Freezer drawers	3 Drawers	3 Drawers	3 drawers

Door fastening	-	-	-
Reversible doors	YES	YES	YES
Energy efficiency class	E	E	E
Annual energy consumption (kWh)	224	237	359
Total gross capacity (L)	308	360	483
Total net capacity (L)	295	326	437
Fresh food compartment actual space (L)	219	250	324
Freezer compartment actual space (L)	76	76	113
Number of freezer compartment stars	****	****	****
Cooling system	Total No Frost	Total No Frost	Total No Frost
Temperature stabilisation time (h)	15	15	/
Freezing capacity (Kg/24h)	4	4	12
Climate class	N-T	T/ST/N	T
Noise emission (dBA re 1 pW)	40	40	43
Control system	Digital display	Digital display	Digital display
Glass shelves/drawers	3 glass shelves and 2 fruit and vegetable drawers	4 glass shelves and 2 fruit and vegetable drawers	4 glass shelves and 3 fruit and vegetable drawers
Door trays	5 door trays	6 door trays	4 door trays
Freezer drawers	3 drawers	3 drawers	2 drawers and 1 removable storage box

Main features			
Fridge ventilation	YES	YES	YES
Fridge/freezer defrost	Manual	Manual	Auto
Internal fridge light	LED	LED	LED
Electronic temperature control	NO	NO	YES
Separate fridge/freezer compartment temperature control	NO	NO	YES
Display	NO	NO	NO
Super cooling function	NO	NO	NO
Super freezing function	NO	NO	NO
Controlled moisture drawer	NO	NO	NO
0°C fresh drawer	NO	NO	YES

Fridge ventilation	YES	YES	YES
Fridge/freezer defrost	Automatic	Automatic	Auto
Internal fridge light	LED	LED	LED
Electronic temperature control	YES	YES	YES
Separate fridge/freezer compartment temperature control	YES	YES	YES
Display	NO	YES	YES
Super cooling function	NO	YES	YES
Super freezing function	NO	YES	YES
Controlled moisture drawer	NO	NO	YES
0°C fresh drawer	YES	YES	YES

Technical features			
Voltage (V)	220V-240V/50Hz	220V-240V/50Hz	220-240
Frequency (Hz)	50Hz	50Hz	50
Certifications	ERP	ERP	CE
Product dimensions (LxDxH) mm	595x545x1890	595x545x1890	595x634x1880

Voltage (V)	220-240	220 / 240	220-240
Frequency (Hz)	50	50	50
Certifications	CE	CE	CE
Product dimensions (LxDxH) mm	595x634x1880	595x634x2010	700x680x1880

SIDE BY SIDE FRIDGES

Comparison table



	MKRF 510/SBS NF EH E XS	MKRF 490 SBS NF WT E XS	MKRF 500/SBS NF E XS
Category / Type	Side by Side fridge	Side by side fridge	Side by Side fridge
Design	Stainless steel	Stainless steel	Stainless steel
EAN code	6940461931595	694046193098	6940461931601

Installation			
Door fastening	-	-	-
Reversible doors	NO	NO	NO
Energy efficiency class	E	E	E
Annual energy consumption (kWh)	565	317	333
Total gross capacity (L)	587	-	573
Total net capacity (L)	510	520	490
Fresh food compartment actual space (L)	335	338	334
Freezer compartment actual space (L)	175	182	156
Number of freezer compartment stars	****	****	****
Cooling system	Total No Frost	Total No Frost	Total No Frost
Temperature stabilisation time (h)	10	6	15
Freezing capacity (Kg/24h)	10	-	13
Climate class	SN/N/ST/T	SN/N/ST/T	N/ST/T
Noise emission (dBA re 1 pW)	43	41	42
Control system	Digital display	Mechanical	Digital display
Glass shelves/drawers	4 glass shelves and 2 fruit and vegetable drawers	4 glass shelves and 2 fruit and vegetable drawers	4 glass shelves and 2 fruit and vegetable drawers
Door trays	5 fridge door trays and 5 freezer door trays	5 fridge door trays and 3 freezer door trays	5 fridge door trays and 3 freezer door trays
Freezer drawers	2 drawers and 4 glass shelves	2 Drawers and 3 glass shelves	2 drawers and 3 glass shelves

Main features			
Fridge ventilation	YES	YES	YES
Fridge/freezer defrost	Auto	Auto	Auto
Internal fridge light	LED	LED	LED
Electronic temperature control	YES	YES	YES
Separate fridge/freezer compartment temperature control	YES	YES	YES
Display	YES	YES	YES
Super cooling function	YES	YES	YES
Super freezing function	YES	YES	YES
Controlled moisture drawer	NO	NO	NO
0°C fresh drawer	NO	NO	NO

Technical features			
Voltage (V)	220-240	220V-240V/50Hz	220-240
Frequency (Hz)	50	50Hz	50
Certifications	CE	ERP	CE
Product dimensions (LxDxH) mm	895x705x1770	897x761x1765	895x765x1770

	MKRF 401/FD71 NF E XS	MKRF 500/FD83 NF E XS	MKRF 620/4D NF E XS
Category / Type	French Door refrigerator	French Door refrigerator	Four Door Refrigerator
Design	Stainless steel	Stainless steel	Stainless steel
EAN code	6940461910934	6940461931618	6940461931625

Door fastening	-	-	-
Reversible doors	NO	NO	NO
Energy efficiency class	E	E	E
Annual energy consumption (kWh)	359	333	438
Total gross capacity (L)	483	582	648
Total net capacity (L)	437	500	622
Fresh food compartment actual space (L)	324	335	438
Freezer compartment actual space (L)	113	165	184
Number of freezer compartment stars	****	****	****
Cooling system	Total No Frost	Total No Frost	Total No Frost
Temperature stabilisation time (h)	/	15	16
Freezing capacity (Kg/24h)	12	13	13
Climate class	T	N/ST/T	SN/N/ST/T
Noise emission (dBA re 1 pW)	43	42	43
Control system	Digital display	Digital display	Digital display
Glass shelves/drawers	4 glass shelves and 1 fruit and vegetable drawer	3 glass shelves and 2 fruit and vegetable drawers	2 glass shelves and 5 fruit and vegetable drawers
Door trays	6 door trays	6 door trays	6 fridge door trays and 6 freezer door trays
Freezer drawers	2 drawers	2 drawers	2 drawers

Fridge ventilation	YES	YES	YES
Fridge/freezer defrost	Automatic	Automatic	Automatic
Internal fridge light	LED	LED	LED
Electronic temperature control	YES	YES	YES
Separate fridge/freezer compartment temperature control	YES	YES	YES
Display	YES	YES	YES
Super cooling function	YES	YES	YES
Super freezing function	YES	YES	YES
Controlled moisture drawer	YES	YES	YES
0°C fresh drawer	YES	YES	NO
	YES	YES	YES

Voltage (V)	220-240	220-240	220-240
Frequency (Hz)	50	50	50
Certifications	CE	CE	CE
Product dimensions (LxDxH) mm	713x743x1932	831x695x1900	905x775x1935